

Metal-Free C-H Borylation of (Hetero)Arenes

Literature seminar

Qin Anni

Supervisor: Pro. Ma Shengming

2020/5/29

Contents


1. Introduction

2. Recent development of metal-free C-H borylation


- C-H borylation promoted by borenium or boronium species
- N/P-directed C-H borylation
- Acyl-directed C-H borylation using BBr_3 without any additive
- FLP-catalyzed C-H borylation and Transfer borylation

3. Summary

Introduction



Nobel Prizes related to boron chemistry



Introduction



Direct C-H bond borylation

Transition metal-catalyzed:

- (1) powerful and atom-efficient
- (2) excellent substrate tolerance
- (3) low crustal abundance, high cost and toxic
- (4) high costs to removing residual catalysts

Metal-free method:



- (1) inexpensive and environmentally benign
- (2) large-scale syntheses
- (3) complementary regioselectivity

***C-H borylation promoted by
borenium or boronium species***

C-H borylation promoted by borenium or boronium species

Borenium: cations containing boron in tricoordinate

Boronium: cations containing tetracoordinated boron










H. Nöth. et. al. *Chem. Rev.* **1985**, 85, 399




E. Vedejs. et. al. *Angew. Chem. Int. Ed.* **2011**, 50, 2098

M. J. Ingleson. et. al. *Angew. Chem. Int. Ed.* **2011**, 50, 2102

C-H borylation promoted by borenium or boronium species






C-H borylation promoted by borenium or boronium species







N/P-directed C-H borylation

N/P-directed C-H borylation



B. W. Müller. et. al. *Helv. Chim. Acta.* **1978**, *61*, 325
K. Prasad. et. al. *Tetrahedron Letters* **2002**, *43*, 3255
V. G. Shubin. et. al. *Chem. Commun.* **2000**, 1587

N/P-directed C-H borylation






D. B. Maclean. et. al. *J. Am. Chem. Soc.* **1963**, 85, 2230

M. Murakami. et. al. *J. Org. Chem.* **2010**, 75, 8709

M. J. Ingleson. et. al. *ACS Appl. Mater. Interfaces.* **2017**, 9, 28243

N/P-directed C-H borylation



H. Fu. et. al. *Org. Lett.* **2012**, *14*, 2618
 E. Vedejs. et. al. *J. Am. Chem. Soc.* **2009**, *131*, 14679
 E. Vedejs. et. al. *Org. Lett.* **2013**, *15*, 984